

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A method of typing resources, including one or more first resources, in a distributed system executable over a computer network, the method comprising:

for each of the one or more first resources resource, associating one or more first descriptions with at least one corresponding first resource from the one or more first resources, wherein at least one of the one or more first resources is discoverable using a corresponding first description; ~~and~~

for each of the one or more first descriptions description, associating a one or more first explanations explanation with a corresponding first description of the one or more first descriptions, wherein the first resource is discoverable using a corresponding first explanation of the one or more first explanations, and wherein the resources further include second resources; ~~and, the method further comprising:~~

~~for each first explanation that is not supplied by a distributed infrastructure associated with the distributed system:~~ associating one or more second descriptions with a the corresponding first explanation for each of the one or more first explanation that is not supplied by a distributed infrastructure associated with the distributed system, wherein the corresponding first explanation is discoverable using the second description; and for each second description, associating a second explanation with the second description, wherein the corresponding first explanation is discoverable using the second explanation.

2. (Currently Amended) The method of Claim 1, wherein one or more of the one or more first explanations are supplied by the distributed infrastructure.

3. (Currently Amended) The method of Claim 1, wherein the one or more first explanations are second resources separate from the one or more first resources.

4. (Original) The method of Claim 1, wherein:

each first description includes one or more first attributes describing the first resource;
and

for each first description, each first explanation includes one or more first attribute properties explaining the first attributes.

5. (Canceled)

6. (Previously Presented) The method of Claim 1, wherein one or more of the second explanations are supplied by the distributed infrastructure.

7. (Canceled).

8. (Currently Amended) The method of Claim 1, wherein:

each second description includes one or more second attributes describing the corresponding first explanation; and

for each second description, each second explanation explaining the second description includes one or more second attribute properties defining the second attributes.

9. (Currently Amended) The method of Claim 1, wherein the resources further include third resources, further comprising: for each first resource, associating one or more first access data for accessing the corresponding first resource, wherein the first resource is discoverable using the first access data.

10. (Original) The method of Claim 9, wherein one or more of the first access data are supplied by the distributed infrastructure.

11. (Original) The method of Claim 9, wherein the first access data are third resources.

12. (Currently Amended) A method of typing resources, including one or more first resources, in a distributed system executable over a computer network, the method comprising:

for each of the one or more first resources~~resource~~, associating one or more first descriptions with at least one corresponding first resource of the one or more first resources, wherein at least one of the one or more first resources is discoverable using a corresponding first description; and

for each of the one or more first descriptions~~description~~, associating a one or more first explanations~~explanation~~ with a corresponding first description of the one or more first descriptions, wherein the first resource is discoverable using a corresponding first explanation of the one or more first explanations, wherein the resources further include third resources;~~;~~
~~further comprising:~~

for each first resource, associating one or more first access data for accessing the first resource, wherein the first resource is discoverable using the first access data, and wherein the resources further include fourth resources;~~;~~
~~further comprising:~~

for each first access data, if the first access data is not supplied by the distributed infrastructure:

associating a third description with the first access data, wherein the first access data is discoverable using the third description; and

associating a third explanation explaining the third description, wherein the access data is discoverable using the third explanation.

13. (Original) The method of Claim 9, wherein the first access data are fourth resources.

14. (Original) The method of Claim 12, wherein:

each third description includes one or more third attributes describing the first access data; and

for each third description, each third explanation explaining the third description includes one or more third attribute properties defining the third attributes.

15. (Original) The method of Claim 12, wherein the resources further include fifth resources, further comprising:

for each first access data, if the first access data is not supplied by the distributed infrastructure, then providing a second access data supplied by the distributed infrastructure for accessing the first access data.

16. (Original) The method of Claim 15, wherein the second access data is a fifth resource.

17. (Previously Presented) A method of discovering one or more target resources in a distributed system executable over two or more computers interconnected by a computer network, the distributed system including an infrastructure executable on each computer connecting the resources, the resources including service, vocabulary and contract resources, the method comprising:

receiving a search request for the target resources from a client, including a target description describing the target resources;

searching a database of resource information, wherein the resource information includes:

one or more resource descriptions describing associated resources, explanatory information explaining the resource descriptions, and access data, including interface data, for accessing the associated resource;

determining whether one or more resource descriptions match the target description; and

sending result information about matching resources to the client.

18. (Original) The method of Claim 17, wherein the request is received from a locally connected client.

19. (Original) The method of Claim 17, wherein the request is received from a remote computer over the computer network.

20. (Original) The method of Claim 17, wherein:

the target description includes a reference to the target resource.

21. (Original) The method of Claim 17, wherein:

the target description includes target attributes describing the target resources; the resource descriptions include resource attributes describing the resources; and determining whether one or more resource descriptions match the target description includes comparing the attributes in the target description with the attributes in the resource descriptions.

22. (Original) The method of Claim 21, wherein:

the target description includes a query describing a relationship among the attributes; and

determining whether one or more resource descriptions match the target description includes comparing the relationship among attributes described by the query with the relationship among attributes described in the resource descriptions.

23. (Original) The method of Claim 17, further comprising:

if the target description includes a reference to a contract resource to which the target resources are typed, then searching only resource information in the database typed to the contract resource.

24. (Original) The method of Claim 17, further comprising:

if the target description includes a reference to a vocabulary resource to which the target resources are typed, then searching only resource information in the database typed to the vocabulary resource.

25. (Original) The method of Claim 17, wherein:

if the target description includes a reference to a vocabulary resource and to a contract resource to which the target resources are typed, then searching only resource information in the database typed to the vocabulary resource and the contract resource.

26. (Original) The method of Claim 17, wherein the result information includes references to the matching resources.

27. (Original) The method of Claim 26, wherein the references include URLs to the matching resources.

28. (Original) The method of Claim 17, wherein the result includes interface data for accessing the matching resources.

29. (Original) The method of Claim 28, wherein the interface data includes the set of IDL interfaces supported by each matching resource.

30. (Original) The method of Claim 28, wherein the interface data includes stub classes for invoking methods on the matching resources.

31. (Currently Amended) A computer system for typing resources in a distributed system executable over a computer network, the distributed system including one or more first resources, the system comprising:

at least two computers connected over the computer network; and

a computer program executable on each computer generating processes accessible to at least one other computer over the computer network;

wherein the computer programs further comprises computer instructions for: ~~for each first resource~~, associating one or more first descriptions with corresponding first resources from the one or more first resources, wherein at least one of the one or more first resources is discoverable using a corresponding first description of the one or more first descriptions;

~~and for each first description~~, associating a one or more first explanations ~~explanation~~ with a the corresponding first description, wherein one or more of the first resources ~~resource~~ is discoverable using a corresponding first explanation, and wherein the resources further include second resources, ~~and the method further comprising~~:

for each of the one or more first explanations ~~explanation~~ that is not supplied by a distributed infrastructure associated with the distributed system: associating one or more second descriptions with a the corresponding first explanation, wherein the corresponding first explanation is discoverable using the second description; and for each second description, associating a second explanation with the second description, wherein the corresponding first explanation is discoverable using the second explanation.

32. (Currently Amended) The computer system of Claim 31, wherein one or more of the one or more first explanations are supplied by the distributed infrastructure.

33. (Currently Amended) The computer system of Claim 31, wherein the one or more first explanations are second resources.

34. (Currently Amended) The computer system of Claim 31, wherein:

each of the one or more first description includes one or more first attributes describing the corresponding first resource; and

for each first description, each first explanation explaining the first description includes one or more first attribute properties defining the first attributes.

35. (Canceled)

36. (Previously Presented) The computer system of Claim 31, wherein one or more of the second explanations are supplied by the distributed infrastructure.

37. (Canceled)

38. (Previously Presented) The computer system of Claim 31, wherein:

each second description includes one or more second attributes describing the first explanation;

for each second description, each second explanation explaining the second description includes one or more second attribute properties defining the second attributes.

39. (Currently Amended) The computer system of Claim 31, wherein the resources further include third resources. and the computer program further comprises computer instructions for:

~~each first resource~~, associating one or more first access data for accessing the corresponding first resource, wherein the corresponding first resource is discoverable using the first access data.

40. (Original) The computer system of Claim 39, wherein one or more of the first access data d by the distributed infrastructure.

41. (Currently Amended) The computer system of Claim 39 9, wherein the first access data are third resources.

42. (Currently Amended) A computer system for typing resources in a distributed system executable over a computer network, the distributed system including one or more first resources, the system comprising:

at least two computers connected over the computer network; and

a computer program executable on each computer generating processes accessible to at least one other computer over the computer network;

wherein the computer programs further comprises computer instructions for: ~~for each first resource~~, associating one or more first descriptions with corresponding first resources of the one or more first resources, wherein at least one of the one or more first resources is discoverable using a corresponding first description of the one or more first descriptions;

~~and for each first description of the one or more first descriptions~~, associating a one or more first explanations ~~explanation~~ with a the corresponding first description, wherein at least one of the one or more first resources ~~resource~~ is discoverable using a corresponding first explanation of the one or more first explanations, wherein the resources further include third resources; ~~and the computer program further comprises computer instructions for:~~

~~each first resource~~, associating one or more first access data for accessing the one or more first resources ~~resource~~, wherein the first resource is discoverable using the first access data, and wherein the resources further include fourth and the computer program further comprises computer instructions for:

for each first access data, if the first access data is not supplied by the distributed restructure, then:

associating a third description with the first access data, wherein the first access data is discoverable using the third description; and

associating a third explanation explaining the third description, wherein the access data is discoverable using the third explanation.

43. (Original) The computer system of Claim 39, wherein the first access data are fourth resources.

44. (Original) The computer system of Claim 42, wherein:

each third description includes one or more third attributes describing the first access data;

for each third description, each third explanation explaining the third description includes one or more third attribute properties defining the third attributes.

45. (Original) The computer system of Claim 42, wherein the computer program further comprises computer instructions for:

for each first access data, if the first access data is not supplied by the distributed infrastructure, then providing a supplied by the distributed infrastructure second access data for accessing the first access data.

46. (Original) The computer system of Claim 45, wherein the supplied by the distributed infrastructure second access data is a fifth resource.

47. (Previously Presented) A computer system for discovering one or more target resources in a distributed system executable over two or more computers interconnected by a computer network, the distributed system including an infrastructure executable on each computer connecting the resources, the resources including service, vocabulary and contract resources, the computer system comprising:

at least two computers connected over the computer network; and

a computer program executable on each computer generating processes accessible to at least one other computer over the computer network;

wherein the computer programs further comprises computer instructions for: receiving a search request for the target resources from a client, including a target description describing the target resources;

searching a database of resource information, wherein the resource information includes:

one or more resource descriptions describing associated resources, explanatory information explaining the resource descriptions, and access data, including interface data, for accessing the associated resource;

determining whether one or more resource descriptions match the target description; and

sending result information about matching resources to the client.

48. (Original) The computer system of Claim 47, wherein the request is received from a locally connected client.

49. (Original) The computer system of Claim 47, wherein the request is received from a remote computer over the computer network.

50. (Original) The computer system of Claim 47, wherein:

the target description includes a reference to the target resource.

51. (Original) The computer system of Claim 47, wherein:

the target description includes target attributes describing the target resources; the resource descriptions include resource attributes describing the resources; and determining whether one or more resource descriptions match the target description includes comparing the attributes in the target description with the attributes in the resource descriptions.

52. (Original) The computer system of Claim 51, wherein:

the target description includes a query describing a relationship among the attributes; and

determining whether one or more resource descriptions match the target description includes comparing the relationship among attributes described by the query with the relationship among attributes described in the resource descriptions.

53. (Original) The computer system of Claim 47, wherein the computer program further comprises computer instructions for:

if the target description includes a reference to a contract resource to which the target resources are typed, then searching only resource information in the database typed to the contract resource.

54. (Original) The computer system of Claim 47, wherein the computer program further comprises computer instructions for:

if the target description includes a reference to a vocabulary resource to which the target resources are typed, then searching only resource information in the database typed to the vocabulary resource.

55. (Original) The computer system of Claim 47, wherein:

if the target description includes a reference to a vocabulary resource and to a contract resource to which the target resources are typed, then searching only resource information in the database typed to the vocabulary resource and the contract resource.

56. (Original) The computer system of Claim 47, wherein the result information includes references to the matching resources.

57. (Original) The computer system of Claim 56, wherein the references include URLs to the matching resources.

58. (Original) The computer system of Claim 47, wherein the result includes interface data for accessing the matching resources.

59. (Original) The computer system of Claim 58, wherein the interface data includes the set of IDL interfaces supported by each matching resource.

60. (Original) The computer system of Claim 58, wherein the interface data includes stub classes for invoking methods on the matching resources.